

測試報告

Test Report

號碼(No.): CT/2018/61110B

日期(Date): 2018/07/12

頁數(Page): 1 of 6

以下测试樣品係由申請廠商所提供及確認(The following sample(s) was/were submitted and identified by/on

behalf of the applicant as):

送樣廠商(Sample Submitted By) 樣品名稱(Sample Description)

BIODEGRADABLE BAMBOO FIBER STRAW (可分解竹纖維吸管)

樣品型號(Style/Item No.) 樣品批號(Lot No.)

樣品材質(Sample Material)

竹蝂维+澱粉 (BAMBOO FIBER+STARCH)

製造日期(Manufacturing Date) 收件日期(Sample Receiving Date)

2018/06/27

測試期間(Testing Period)

2018/06/27 TO 2018/07/10

测试需求(Test Requested) :

依據客戶要求進行測試,測試項目請參閱測試結果表格。/ The test was specified by client, please refer to result table for testing item(s).

测试结果(Test Results) 請參閱下一頁 (Please refer to following pages).



This documents issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-aspa.
and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspa., Attention is drawn to the iministance of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is 35% and the indemnification contained herein reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their ingrists and obligations under the transaction documents. This document cannot be reducted that the company of the Company's Any unauthorized alteration. Forger or fastification of the content or appearance of this document is unlevful and offenders may be prosecuted to the fullest extent of the law. Unless otherworks stated the rescribes shown in this state report fell only to the samplest lested.



號碼(No.): CT/2018/61110B

日期(Date): 2018/07/12

頁數(Page): 2 of 6

测试结果(Test_Results)

測試部位(PART NAME)No.1

淡棕色吸管 (LT. BROWN STRAW)

测试项目 (Test Items)	單位 (Unit)	测试方法 (Method)	LOQ	结果 (Result) No. 1
鄭苯二甲酸二(2-乙基己基)酯 (正庚烷, 25℃, 1小時) / DEHP (Di-(2-ethylhexyl) phthalate) (CAS No.: 117-81-7) (n- lleptane, 25℃, 1 hr)	ppm	依據食品器具、容器、包裝檢驗方法-塑膠 類之檢驗(102年11月13日部校食字第 1021950607號公告),以無相層析/質譜儀 檢測. / According to Sanitation Standard for Food Utensils, Containers and Packages - Plastics (MOHW Food No. 1021950607 announced, November 13, 2013). Analysis was	0. 05	n. d.
鄭苯二甲酸二丁酯 (正庚烷, 25℃, 1小時) / DBP (Di-n-butyl phthalate) (CAS No.: 84-74-2) (n-Heptane, 25℃, 1 hr)	ppm		0. 05	n. d.
鄰苯二甲酸丁苯甲酯 (正庚烷, 25℃, 1小時) / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7) (n-Heptane, 25℃, 1hr)	ppm		0. 05	n. d.
鄰苯二甲酸二異癸酯 (正庚烷, 25℃, 1小時) / DIDP (Diisodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1) (n- Heptane, 25℃, 1 hr)	ppm		0.5	n. d.
鄭苯二甲酸二異壬酯 (正庚烷, 25℃, 1小時) / DINP (Diisononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0) (n- Heptane, 25℃, 1 hr)	ppm	performed by GC/MS.	0.5	n. d.
己二酸二(2-乙基己基)酯(正庚烷, 25°C, 1小時) / DEHA (Di-2-ethylhexyl Adipate) (CAS No.: 103-23-1) (n- Heptane, 25°C, 1 hr)	ppm		0. 05	n. d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.scs.com/en/Terms-aird-Surfations and, or electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.scs.com/en/Terms-aird-Surfations are advanted to the invitation of lability, indemnication and jurisdiction suscess defined therein. Any holder of the Goodument asked that reference in contained herein or reflects the Corpreany's indrings at the time of its intervention only and within the limits of client's instruction, if any, The Company's sole responsibility is to its Client and this document does not exonerate parties or a transaction from exercising all their rights and deligations under the transaction documents. This document cannot be underviously any unastrived alteration, lingly or if salisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sampleful tested.



號碼(No.): CT/2018/61110B

日期(Date): 2018/07/12

頁數(Page): 3 of 6

测试項目 (Test Items)	單位 (Unit)	测试方法 (Method)	LOQ	結果 (Result) No.1
雙酚A-(水、95℃, 30分鐘) / Bisphenol A -(water, 95℃, 30 min)	ppm	依據食品器具、容器、包裝檢驗方法-聚碳酸酯(PC)塑膠類之檢驗(MOHWU0019.02, 104年10月19日部投食字第1041901882號公告), 以HPLC/FLD分析. / According to Sanitation Standard for Food Utensils, Containers and Packages - Polycarbonate Plastic Products (MOHWU0019.02, MOHW Food No. 1041901882 announced, October 19, 2015). Analysis was performance by HPLC/FLD.	0. 0005	n.d.
雙酚A-(4%醋酸、60℃, 30分鐘) / Bisphenol A - (4% acetic acid, 60℃, 30 min)	ppm		0. 0005	n. d.
雙酚A / Bisphenol A (▲)	ppb	依據食品器具、容器、包裝建議檢驗方法- 塑膠類嬰兒奶瓶中雙酚A之檢驗方法(106年 1月6日TPDAU0005,01), 以高效液相層析事 購買譜儀分析. / According to Sanitation Standard for Food Utensils, Containers and Packages - Plastic Infant Feeding Bottles (TFDAU0005.01, January 6, 2017). Analysis was performed by HPLC/MS/MS.	20	n. d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/app.and, of electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Conditions/app.and-Con



號碼(No.): CT/2018/61110B

日期(Date): 2018/07/12

頁數(Page): 4 of 6

测试项目 (Test Items)	單位 (Unit)	测试方法 (Method)	LOQ	結果 (Result) No. 1
三聚氰胺-(4%醋酸、95℃、30分鐘)/ Melamine-(4% acetic acid, 95℃, 30 min)	ppm	依據食品器具、容器、包裝檢驗方法-以甲 醛-三聚氰胺為合成原料之塑膠檢驗(102年 11月13日部投食字第1021950916就公告), 以高效能液相層析儀/二極體陣列偵測器 (HPLC/DAD)分析. / According to Sanitation Standard for Food Utensils, Containers and Packages - Plastics with formaldehyde-melamine as raw material for synthesis (MOHW Food No. 1021950916 announced, November 13, 2013). Analysis was performance by HPLC/DAD.	0.5	n. d.

测试项目 (Test Items)	單位 (Unit)	测试方法 (Method)	MDL	結果 (Result) No.1
鄭苯二甲酸二(2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	依據CNS 15138-1 (民國101年),以氣相層 桥/質踏儀檢測. / According to CNS 15138-1 (2012). Analysis was performed by GC/MS.	0.003	n. d.
鄭苯二甲酸二丁酯 / DBP (Di-n-butyl phthalate) (CAS No.: 84-74-2)	%		0.003	n. d.
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)			0.003	n. d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octhl phthalate) (CAS No.: 117-84-0)	%		0.003	n.d.
鄭苯二甲酸二異壬酯 / DINP (Diisononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	%		0.01	n.d.
鄰苯二甲酸二甲酯 / DMP (Dimethyl phthalate) (CAS No.: 131-11-3)	%		0.003	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions apps.
and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Conditions/fem/En/Terms-and-Con



測試報告

Test Report

號碼(No.): CT/2018/61110B

日期(Date): 2018/07/12

頁數(Page): 5 of 6

测试项目 (Test Items)	單位 (Unit)	测试方法 (Method)	MDL	结果 (Result) No.1
鄭苯二甲酸二異癸酯 / DIDP (Diisodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)		依據CNS 15138-1 (民國101年),以氣相層 析/質譜儀檢測。/ According to CNS 15138-1 (2012). Analysis was performed by GC/MS.	0. 01	n. d.
鄭苯二甲酸二乙酯 / DEP (Diethyl phthalate) (CAS No.: 84-66-2)	%		0.003	n. d.

備註(Note):

- 1. 0.1 wt% = 1000 ppm
- 2. LOQ = Limit of Quantification (定量極限); MDL = Method Detection Limit (方法偵測極限值);
- 3. n.d. = Not Detected (未檢出) = 小於 (less than) LOQ / MDL
- 4. (▲):此項目轉包予台灣檢驗科技股份有限公司化學實驗室-高雄進行測試。/ This testing item(s) was/were subcontracted to SGS Taiwan Limited - Kaohsiung Central Chemical Laboratory.
- 5. "-" = Not Regulated (無規格值)
- 6. 此用途為自主品管報告.(This testing report is subject to independent quality control.)
- 7. 測試報告僅就委託者之委託事項提供測試結果,不對產品合法性做判斷。(The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.)
- 8. 此份報告取代CT/2018/61110報告. (This report supersedes the previous document bearing the test report number CT/2018/61110.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-asps.
and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-asps. Attention is down to the conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-



號碼(No.): CT/2018/61110B

日期(Date): 2018/07/12

頁數(Page): 6 of 6

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CT/2018/61110



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/ferms-and-Conditions for Electronic Documents at <a href="http://www.sgs.com/en/ferms-and-Conditions/ferms-and-Conditions for Electronic Documents at <a href="http://www.sgs.com/en/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Conditions/ferms-and-Cond